

7,990.00

7,990.00

# Complete Price List 2025/IV

Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

# **1. TMxCore** (available from January 2026)

230011NR





#### **TMxCore Analog8 AES8**

Professional audio metering platform with combined 8 channel digital AES3 format I/O, 8 channel analog inputs (D-Sub 25 connectors), and DisplayPort output for direct connection to any monitor, ideal for maximum flexibility in hybrid environments. TMxCore extends the TouchMonitor legacy with versatile tools for broadcast, post-production, and live workflows.

Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser.

Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility.

Includes Power Supply and 19" Rack-mount kit.

Please note: Available from January 2026

230013NR





# **TMxCore AES16**

Professional audio metering platform with digital AES3 format inputs and outputs (D-Sub 25 connectors) and DisplayPort output for direct connection to any monitor. Ideal for facilities with baseband workflows, TMxCore combines the proven TouchMonitor concept with powerful new capabilities for loudness, compliance, and advanced metering.

Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser.

Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility.

Includes Power Supply and 19" Rack-mount kit.

Please note: Available from January 2026

,



8,990.00

8,990.00


# Complete Price List 2025/IV

Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

230017NR





#### **TMxCore Dante**

Professional audio metering platform with 32 channel Dante® AoIP connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for broadcast, post-production, and live applications. Built on the TouchMonitor legacy, TMxCore delivers reliable loudness and compliance monitoring, advanced metering instruments, and flexible view design. Core functionality covers comprehensive tools for

loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser.

Additional licenses unlock Immersive Audio Instruments,

the Speech Intelligibility Meter powered by Fraunhofer Al technology, and up to three additional Network Display screens for extended visibility.

Includes Power Supply and 19" Rack-mount kit.

Please note: Available from January 2026

230018NR







#### **TMxCore Ravenna**

Professional audio metering platform with 32 channel Ravenna®/AES67/ST 2110 connectivity via dedicated primary and secondary RJ-45 connectors and DisplayPort output for direct connection to any monitor, ideal for modern IP-based production environments. Combining next-generation processing power with trusted TouchMonitor metering concepts, TMxCore ensures reliability and flexibility in broadcast and post-production workflows.

Core functionality covers comprehensive tools for loudness, phase, frequency, comparison, and level monitoring, along with a Network Display accessible via any standard web browser.

Additional licenses unlock Immersive Audio Instruments, the Speech Intelligibility Meter powered by Fraunhofer AI technology, and up to three additional Network Display screens for extended visibility.

Includes Power Supply and 19" Rack-mount kit.

Please note: Available from January 2026



995.00

995.00

995.00

995.00

# Complete Price List 2025/IV

Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

# Licenses for TMxCore (available from January 2026)

SW23010



#### **Surround & Immersive Instruments**

Unlocks metering instruments for surround and immersive formats. Includes the Immersive Sound Analyzer, MatrixCorrelator, MultiCorrelator, and Polarscope, giving engineers detailed insight into spatial balance, correlation, and immersive mix quality. Ideal for broadcast, post-production, and streaming workflows handling multi-channel and immersive content.

Please note: Available from January 2026

SW23020



#### Speech Intelligibility Instruments

Unlocks the AI-powered Speech Intelligibility Meter, developed with Fraunhofer IDMT. Provides an objective measurement of how clearly dialogue is perceived, helping engineers maintain speech clarity across film, TV, streaming, and live content.

Please note: Available from January 2026

SW23030



#### Network Display: Additional Screen 1

Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.

Please note: Available from January 2026

SW23031



#### Network Display: Additional Screen 2

Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.

Please note: Available from January 2026



995.00

2,300.00

2,300.00

# Complete Price List 2025/IV

Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

SW23032



#### **Network Display: Additional Screen 3**

Adds an additional virtual metering screen for TMxCore, accessible via any standard web browser. Each screen provides its own configurable screen format with independent views, ratio, resolution, and orientation. Up to three licenses can be added, expanding metering across multiple screens and locations for remote production, multiview monitoring, and flexible workflows.

Please note: Available from January 2026

# 3. TouchMonitor 5

220517NT



#### **TouchMonitor 5 Dante**

Advanced loudness meter for Dante®-based audio networks.

This user-customizable, tabletop device features a 5" touch display and supports 16 Dante® channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations.

It offers an extensive feature set, including RTA, Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays.

Please note: PoE power injector not included.

220518NT



#### TouchMonitor 5 Ravenna

Advanced loudness meter for RAVENNA®-based audio networks.

This user-customizable, tabletop device features a 5" touch display and supports 16 RAVENNA®/AES67/ST 2110 channels for stereo, surround, and immersive audio formats, including 5.1 and 7.1.4 configurations. It offers an extensive feature set, including RTA Vectorscope, PPM, True-peak, Loudness, LRA, Chart, and Moving Coil displays.

Please note: PoE power injector not included.



495.00

3,105.00

3,105.00

# Complete Price List 2025/IV

Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

### 4. License for TouchMonitor 5 (available from November 2025)

SW22030



#### **Network Display**

Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the built-in display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.

Please note: Available from November 2025

# 5. TouchControl 5

320517ND



#### TouchControl 5 Dante

Dante® based immersive monitor controller with metering.

User customizable table-top device with 5" touch display and 32 Dante®-channels for stereo- surround and - immersive speaker formats including 5.1 and 7.1.4. Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling, talkback and Intercom.

Please note: PoE power injector not included.

320518ND



#### TouchControl 5 Ravenna

RAVENNA® based immersive monitor controller with metering.

User customizable table-top device with 5" touch display and 32 RAVENNA®/AES67/ST 2110-channels for stereosurround and -immersive speaker formats including 5.1 and 7.1.4.

Comprehensive feature set with speaker calibration, SPL measurement and bass management as well as an RTW precision metering section as in TouchMonitor 5. Toolbox with independent leveling, talkback and Intercom.

Please note: PoE power injector not included.



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

EURO ex. VAT Order no. Description

#### **License for TouchControl 5** (available from November 2025) 6.

SW32030



#### **Network Display**

Enables metering display via any standard web browser. The browser-based screen uses the same screen format as the device, but can show a different view than the builtin display. Ideal for remote monitoring or extending visibility to additional locations without adding extra hardware.

Please note: Available from November 2025

#### 7. **TouchMonitor Models**

TM7-Studio





#### TM7-Studio \*)

7" Desktop TouchMonitor for Audio Production and Post Production.

8-ch. digital AES3-format I/O and

8-ch. analog audio inputs both via D-sub 25p-f. Includes power supply

TM7-Video



0 4 0 0 0 0 0 0 0 0 0 0 0 0

#### TM7-Video \*)

7" Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Includes power supply

5,985.00

4,605.00

495.00

# TM7-Mount





# TM7-Mount \*)

7" Mountable TouchMonitor for TV Broadcast and Post Production

8-ch. digital AES3-format I/O and

8-ch. analog audio inputs both via D-sub 25p-f. W/o psu

Please note: Power supply not included.

4,375.00



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

TM7-Rack







TM7-Rack \*)

7" Rack TouchMonitor for TV Broadcast and Post Production 8-ch. digital AES3-format I/O via D-sub 25p-f and 3G-SDI interface. Built-in TM7-MAVID option. Please note: Power supply not included.

6,270.00

TM7-Dante





TM7-Dante \*)

7" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply

6,100.00

TM7-RAV





TM7-RAV \*)

7" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply

6,100.00

5,465.00

TM9-Studio



Analog In 1 - 8

TM9-Studio \*)

9" Desktop TouchMonitor for Audio Production and Post Production.

8-ch. digital AES3-format I/O and

8-ch. analog audio inputs both via D-sub 25p-f. Includes

power supply AES3 I/O1-4 



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT


#### TM9-AES16



#### TM9-AES16 \*)

9" Desktop TouchMonitor for Audio Production and Post Production.

16-ch. digital AES3-format I/O via two D-sub 25p-f. Includes power supply



#### TM9-BNC




### TM9-BNC \*)

9" Desktop TouchMonitor for Audio Production and Post Production.

16-ch. digital AES3id-format I/O via BNC. Includes power supply

5,465.00

5,465.00



# TM9-Video



# TM9-Video \*)

9" Desktop TouchMonitor for Post Production, TV Broadcast and Video Editing.

16-ch. digital AES3-format I/O via two D-sub 25p-f and 3G-SDI interface. Includes power supply

7,710.00





Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

TM9-Dante



#### TM9-Dante \*)

9" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Dante AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply

6,960.00



#### TM9-RAV





#### TM9-RAV \*)

9" Desktop TouchMonitor for AoIP network based Post Production, TV Broadcast and Video Editing 32-ch. Ravenna/AES67/ST 2110 AoIP I/O via dedicated primary and secondary RJ-45 connectors. Includes power supply

6,960.00

\*) Please note:



All mentioned models come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display.

Recommended licences for multi-channel, loudness, surround sound and more detailed audio analysis: SW20001 Multi-channel operation

SW20002 CalmAct, ITU, EBU loudness and SPL display SW20004 SSA surround sound analyzer

SW20006 Up to four vectorscopes, Multistandard PPM/VU moving coil emulation

TMR7



# TMR7°)

TouchMonitor TMR7 with 7" desktop display and power supply, 4-ch. basic software 4-ch. digital I/O (2 x XLR-F, 2 x XLR-M)

4,605.00





Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

TMR70EM



#### TMR70EM°)

TouchMonitor TMR7 with 7" display, user mount, w/o psu, 4-ch. basic software

4,375.00

4-ch. digital I/O (2 x XLR-F, 2 x XLR-M)

Please note: Power supply not included.

°) Please note:



The mentioned models TMR7 and TMR7OEM come with the basic functionality like 4-ch-PPM, True-Peak-Meter, correlator, global keyboard, gain reduction display. Recommended licences for loudness and more detailed audio analysis:

SW20002 CalmAct, ITU, EBU loudness and SPL display SW20003 RTA real time analyzer SW20006 Up to two vectorscopes, Multistandard PPM/VU moving coil emulation

SW20014 Loudness Logging and course over time (Chart)

### **8. Licenses for TM Series** (for all devices with 4-ch. basic software)

SW20001



#### Multichannel

TouchMonitor License for TM7, TM9: Multi-channel operation

785.00

SW20002




# Loudness & SPL

TouchMonitor License for TM7, TMR7, TM9: CalmAct, ITU, EBU Loudness and SPL display

785.00

SW20003



#### RTA - Real Time Analyzer

TouchMonitor License for TM7, TMR7, TM9: Real Time Analyzer (RTA)

520.00

SW20004



#### SSA - Surround Sound Analyzer

TouchMonitor License for TM7, TM9: Surround Sound Analyzer (SSA)

Please note: SW20004 requires SW20001 and SW20002

785.00



Price valid from: October 1st, 2025

Order no.		Description	EURO ex. VAT
SW20005		Radar Display TouchMonitor License for TM7, TM9: Radar Anzeige	1,325.00
	00 22-40 8.5 10 2.4 May 11 1 May 12 1 May 12 1 May 13 1 M	Please note: SW20005 requires SW20002	
SW20006		Premium PPM & Vectorscope TouchMonitor License for TM7, TMR7, TM9: Premium PPM and Vectorscope	520.00
	* TI	Timecode Reader	
SW20008	10:49:45.01	TouchMonitor License for TM7, TMR7, TM9: TCR - Timecode Reader	520.00
SW20013	UNION Theoret Andres Level Mass Deby	BLITS TouchMonitor License for TM7, TM9: BLITS/GLITS lilne testing	520.00
	CH PI LINN DIP MANUEL POLICE L 1-460 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Please note: SW20013 requires SW20001	
SW20014	And a second control of the second control o	Logging Data Server TouchMonitor License for TM7, TMR7, TM9: Logging Data Server	785.00
	and the same	Please note: SW20014 requires SW20002	
SW20015		ISA - Immersive Sound Analyzer TouchMonitor License for TM7, TM9: Immersive Sound Analyzer (ISA)	785.00
		Please note: SW20015 requires SW20001, SW20002 and SW20004	
		Conversion kit for TM7/TM9 devices of TC electronic	8
SW20021	t declared	TouchMonitor License for TM7, TM9: Conversion kit TM7/TM9 units from TC electronic®	520.00



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no. Description EURO ex. VAT

# 9. Hardware TM7/TM9 Series

20700



**Basic Units TM7** 

TouchMonitor TM7 with 7" desktop display and power supply, 4-ch. basic software

Please note: The selection of the audio interface is

required

Ordering details: 20700 + HW2071n (see below)

207000EM



**OEM Basic Units TM7** 

TouchMonitor TM7 with 7" display, user mount, w/o psu, 4-ch. basic software

**Please note:** The selection of the audio interface is

required

Ordering details: 207000EM + HW2071n (see below)

**Audio Interfaces TM7** 

**Please note:** Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible.

Ordering details: 20700 + HW2071n or 207000EM + HW2071n

HW20711



TM7 Analog-Digital D-Sub interface

16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub)

Ordering details: 20700 + HW20711 or

207000EM + HW20711

HW20712



TM7 Analog D-Sub Digital BNC interface

16-ch. audio-interface for TM7 series: 8-ch. digital I/O (4 x AES3id, BNC) and

8-ch. analog inputs (d-sub)

Ordering details: 20700 + HW20712 or

207000EM + HW20712

520.00

520.00

4,085.00

3,855.00



Price valid from: October 1st, 2025

Order no.		Description	EURO ex. VAT
HW20714		TM7 Digital D-Sub 3G-SDI interface 8-ch. audio-interface plus SDI for TM7 series: 8-ch. digital I/O (4 x AES3, d-sub) and 3G SDI interface (In, Through, 2 x BNC) Ordering details: 20700 + HW20714 or	1,900.00
HW20715		207000EM + HW20714  TM7 Digital D-Sub interface  16-ch. audio-interface for TM7 series:  14 ch. digital L/O (0 th AFS) 2 th death)	520.00
		16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20700 + HW20715 or 207000EM + HW20715  TM7 AoIP Dante® RJ-45 interface	
HW20717	dox 🕡 🚛	32-ch. Dante® AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20717 or 207000EM + HW20717	2,015.00
HW20718		TM7 AoIP Ravenna RJ-45 interface 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM7 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20700 + HW20718 or 207000EM + HW20718	2,015.00
20900		Basic Units TM9 TouchMonitor TM9 with 9" desktop display and power supply, 4-ch. basic software	4,945.00
	+ HW2091n	Please note: The selection of the audio interface is required Ordering details: 20900 + HW2091n (see below)	



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no.		Description	EURO ex. VAT
		OEM Basic Units TM9	
20900OEM	+ HW2091n	TouchMonitor TM9 with 9" display, user mount, w/o psu, 4-ch. basic software  Please note: The selection of the audio interface is required  Ordering details: 209000EM + HW2091n (see below)	4,715.00
	L MATERIAL M	Audio Interfaces TM9 Please note: Audio interfaces are not sold separately. They can only be ordered with new devices, and swapping the interfaces on existing devices is not possible.  Ordering details: 20900 + HW2091n or 209000EM + HW2091n	
HW20911		TM9 Analog-Digital D-Sub interface 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3, d-sub) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20911 or 209000EM + HW20911	520.00
HW20912		TM9 Analog D-Sub Digital BNC interface 16-ch. audio-interface for TM9 series: 8-ch. digital I/O (4 x AES3id, BNC) and 8-ch. analog inputs (d-sub) Ordering details: 20900 + HW20912 or 209000EM + HW20912	520.00
HW20913		TM9 Digital D-Sub interface 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3, 2 x d-sub) Ordering details: 20900 + HW20913 or 209000EM + HW20913	520.00
HW20914		TM9 Digital BNC interface 16-ch. audio-interface for TM9 series: 16-ch. digital I/O (8 x AES3id, 16 x BNC) Ordering details: 20900 + HW20914 or	520.00

209000EM + HW20914



Price valid from: October 1st, 2025

Order no.	Description	EURO ex. VAT
HW20915	TM9 Analog D-Sub interface 16-ch. audio-interface for TM9 series: 16-ch. analog input (2 x d-sub) Ordering details: 20900 + HW20915 or 209000EM + HW20915	520.00
HW20917	TM9 AoIP Dante® RJ-45 interface 32-ch. Dante® AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20917 or 209000EM + HW20917	2,015.00
HW20918	TM9 AoIP Ravenna RJ-45 interface 32-ch. Ravenna/AES67/ST 2110 AoIP interface for TM9 series: 32-ch. digital I/O (2 x RJ-45) Ordering details: 20900 + HW20918 or 209000EM + HW20918	2,015.00
HW20930	TM9 3G-SDI option 3G-SDI extension for the audio interfaces HW20911 to HW20915 Please note: Only available, when the order is placed with HW2091n Ordering details: 20900 + HW2091n + HW20930 or 209000EM + HW2091n + HW20930	2,245.00
10.	TM3	
TM3S	TM3-Smart desktop unit TM3 Smart: 4.3 inch Stereo and 6-channel TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes power supply.	1,840.00



Price valid from: October 1st, 2025

New products and changes are highlighted in the following list.

Order no.		Description	EURO ex. VAT
		TM3-Smart rack-mount unit	
TM3S + TM3-2U		TM3 Smart Rack-mount: 4.3 inch Stereo and 6-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. Analog, SPDIF and AES3 interfaces. Includes mounting material and USB extension cable. Includes power supply. For the rack-mounting frame, order 19"/2U rack carrier TM3-MA2U.  Please note: Limited stock left.	1,840.00
		TM3-3G-Smart desktop unit	
TM3-3GS		TM3-3G Smart: 4.3 inch TouchMonitor as desktop unit with capacitive touch screen, remote interface box (2 m) and mains adapter. 3G-SDI I/O and AES3 outputs. Includes power supply.	2,820.00
		TM3-3G-Smart rack-mount unit	
TM3-3GS + TM3-2U	1 W	TM3-3G Smart Rack-mount: 4.3 inch 8-channel TouchMonitor as rack-mountable unit with capacitive touch screen, remote interface box (2 m) and mains adapter. SDI I/O and AES3 outputs. Includes power supply. Includes mounting material and USB extension cable. For the rack-mounting frame, order 19"/2U rack carrier TM3- MA2U. Please note: Limited stock left.	2,820.00
11.		Accessories	

# 11. Accessories

	International PoE Ethernet Power Injector	
14554-IN	Ethernet power injector for stand-alone operation of	120.00
-	TouchControl 5 or TouchMonitor 5 without PoE from e. g. switches.	
	Power cables for EU, US, GB and AU grids	
	·	
	Wide-range Power Supply for TouchMonitor	
1178-R	Wide-range 100 - 240 V AC/24 V DC 2.71 A power supply	125.00
	for TM3, TM7, TMR7, TM9 TouchMonitor series with	
	corresponding power cable for different power systems	



Price valid from: October 1st, 2025

Order no.	Description	EURO ex. VAT
1162	I/O Snake Cable for TM3S  2 m, for TM3S, 25p-D-Sub-M to 2 x XLR-F for Analog In,	445.00
	3 x XLR-F for AES3 In, and 3 x XLR-M for AES3 Out  Output Snake Cable for TM3-3GS	
1163	4 m, 25p-D-Sub-M to 8 x XLR-M. For digital AES3 balanced outputs	445.00
1167	Digital I/O Snake Cable for TM7/TM9  4 m, 25p-D-Sub-M to 4 x XLR-M and 4 x XLR-F.	445.00
300 00	For digital AES3 balanced inputs and outputs	
1186	Analog Input Snake Cable for TM7/TM9  4 m, 25p-D-Sub-M to 8 x XLR-F.  For analog inputs	445.00
	Mounting bracket 3/8"	
1166	Metal mounting plate for all TM3 display units or TouchControl 5 to be mounted with 3/8 inch holds (e. g. gooseneck, mic stand)	60.00
	TM3 Rack Carrier	
TM3-MA2U	19"/2U rack carrier to be fitted with up to two TM3 series devices which must feature the TM3-2U option. Including blind plate for covering unused space.	570.00
	Table-top Housing for 7" Devices	
TM7-MADT	Table-top Mounting Adapter for 207000EM and TMR7- OEM. Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling to a table-top unit.	685.00
	Standard Rack Mounting Adapter for 7" Devices	
TM7-MA3U	19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (207000EM or TMR70EM) for mounting into standard 19" sub-racks.	515.00
	Video Rack Mounting Adpater for 7" Devices	
TM7-MAVID	19"/3U rack carrier to be fitted with one TM7 or TMR7 series OEM unit (207000EM or TMR70EM) for mounting into standard video racks.	515.00



Price valid from: October 1st, 2025

Order no.		Description	EURO ex. VAT
1647831		Rack Frame for 7" Devices  19"/3U rack frame for one or two devices TM7-Mount, TMR7-Mount, 207000EM, TMR70EM in combination with	515.00
		rack carrier TM7-MA3U. Includes blind plate for covering unused space.  Please note: TM7-MA3U is mandatory per device to be mounted. Limited stock left.	
		TM9 OEM Rack Carrier	
TM9-MA4U	Front	19"/4U rack carrier to be fitted with on.e TM9 series OEM unit (20900OEM)	570.00
	Rear		
		Table-top Housing for 9" Devices	
TM9-MADT	50	Table-top Mounting Adapter for 209000EM Mounting kit including a table-top frame, robust swivel-mounted table-stand, housing cover, and mounting material for remodelling 209000EM to a table-top unit.	685.00